



## TECHNICAL DATA SHEET

### **PRODUCT DESCRIPTION**

<b>PRODUCT CODE</b>	114C
<b>GENERAL DESCRIPTION</b>	TRANS AMIES W/CH A/PL
<b>DETAILED DESCRIPTION</b>	1 outer box contain 8 Vi-Pak each containing 50 paper-film pouches each containing a tube with 5 ml of AMIES with charcoal and white cap without receptacle, and a plastic applicator with black cap.

### **PRODUCT COMPONENTS**

<b>MEDIUM</b>	<b>COMPOSITION</b>
AMIES WITH CHARCOAL	Sodium chloride Disodium phosphate Potassium chloride Sodium Thioglycollate Calcium Chloride Bacto Agar

<b>TRANSPORT TUBE</b>	<b>TUBE</b>	<b>SPECIFICATIONS</b>
		TUBE LENGTH: 154.50 mm ± 1.00 mm INSERTION DIAMETER: 9.00 mm ± 0.50 mm EXTERNAL DIAMETER: 12.00 mm ± 0.50 mm MATERIAL: POLYPROPYLENE

This bulletin (Rev.05-21/04/2023) is for your guidance and is based on information believed to be reliable and should be periodically reviewed.



## TECHNICAL DATA SHEET

		<b>SPECIFICATIONS</b>
<b>CAP</b>	WHITE CAP W/O RECEPTACLE	EXTERNAL DIAMETER: 12.00 mm ± 0.10 mm CAP LENGTH: 32.80 mm ± 0.20 mm MATERIAL: HIGH DENSITY POLYETHYLENE
<b>APPLICATOR</b>	PLASTIC APPLICATOR	TOTAL LENGTH: 147.00 mm ± 2.00 mm STICK DIAMETER: 2.50 mm ± 0.10 mm FIBER TIP LENGTH: 16.00 mm ± 3.00 mm FIBER TIP DIAMETER: 4.50 mm ± 0.50 mm STICK MATERIAL: POLYSTYRENE FIBER TIP MATERIAL: RAYON
<b>CAP</b>	BLACK CAP	EXTERNAL CAP DIAMETER: 12.00 mm ± 0.10 mm CAP LENGTH: 32.80 mm ± 0.20 mm INSERTION DIAMETER: 9.30 mm ± 0.05 mm MATERIAL: HIGH DENSITY POLYETHYLENE

### PACKAGING SPECIFICATION

<b>PACKAGING</b>	PAPER-FILM POUCH
<b>VI-PAK QUANTITY</b>	50
<b>BOX QTY</b>	400

This bulletin (Rev.05-21/04/2023) is for your guidance and is based on information believed to be reliable and should be periodically reviewed.



## TECHNICAL DATA SHEET

### **IMPORTANT INFO**

<b>STERILIZATION METHOD</b>	IONIZING IRRADIATION
<b>STORAGE TEMPERATURE</b>	5/25°C-DO NOT FREEZE
<b>SHELF LIFE</b>	24 MONTHS
<b>MEDIUM pH</b>	7.2 ± 0.3

This bulletin (Rev.05-21/04/2023) is for your guidance and is based on information believed to be reliable and should be periodically reviewed.